## Notes

- For important limitations, please see *Hydraulic Modelling and Mapping in BC's Lower Mainland Final Report* prepared for Fraser Basin Council by Northwest Hydraulic Consultants Ltd. (2019).
  This map is for information only and intended for flood scenario comparison and flood mitigation planning. The map may also be informative for emergency planning. It is not to be used for designating floodplains, establishing flood construction levels, designing dikes or other structures.
  In cases where dike crests overtop, it is assumed that these dikes remain intact. Since most dikes would likely fail under such circumstances, actual inundation extents and depths may significantly exceed those shown.
  Dike crest elevations are based on a combination of survey data and Lidar. The quality of the data varies and the hydraulic model and associated mapping will require updating once more accurate dike crest information becomes available.
  The Digital Elevation Model was based on 2016 Lidar acquired by EMBC
- 5. The Digital Elevation Model was based on 2016 Lidar acquired by EMBC and 2017 bathymetric survey data acquired by FBC for this project.
  6. Flood depths do not include a freeboard allowance.
  7. NHC's **Disclaimer**, see *Hydraulic Modelling and Mapping in BC's Lower Mainland Final Report* (2019), also applies to this map.

----

SEA ISLAND

UNITED STATES

Richmond

Strait of Georgia

LULU

Location	Boundary Condition (Peak Flow/Level)	AEP/Event
Fraser River at Hope	17,000 m <sup>3</sup> /s	1894 Freshet Event
Harrison Lake Inlet	2,050 m <sup>3</sup> /s	1894 Freshet Event
Tributaries	1,424 m <sup>3</sup> /s	1894 Freshet Event
Ocean Level	2.00 m	50% Summer
a series		ALL PRIVER

.......

White Witside Bills Rock East


UNITED STATES

Boundary Ba

Point Roberts

ANNIARANGE

Sun set lie ach



## Depth (m)

Satouth

eptn (m)			
	0 - 0.1	most buildings are dry; underground infrastructure may be flooded	
	0.1 - 0.3	most buildings are dry; walking in moving water or driving is potentially dangerous; underground infrastructure may be flooded	
	0.3 - 0.5	most buildings are dry; walking in moving or still water or driving is dangerous; underground infrastructure may be flooded	
	0.5 - 1.0	water on ground floor; underground infrastructure flooded; electricity failed; vehicles are commonly carried off roadways	
	1.0 - 2.0	ground floor flooded; residents and workers evacuate	
	2.0 - 3.0	ground floor flooded; first floor covered by water; residents and workers evacuate	
	> 3.0	first floor and often higher levels covered by water; residents and workers evacuate	
	Dike		
	First Nation Reserve Boundary		
	Municipal Boundary		
	River, Lake, Ocean or Other Waterbody		

Basemap from Esri and Natural Resources Canada

